




Jonathan Green



CORN GLUTEN WEED PREVENTER

plus LAWN FOOD 10-0-2

Pre-emergent weed control plus lawn food

Prevents crabgrass and other weeds while feeding your lawn

Easy to spread granules

Safe around children and pets*

United States Patent 8,623,100 B2

*When Used As Directed



CRABGRASS



DANDELION

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and directions.

Active Ingredient	85%
Corn Gluten Meal	85%
Inert Ingredients*	15%
Total	100%

*Urea, Potassium Sulfate

FEED YOUR LAWN ...AND YOUR SOIL!

EARLY SPRING: Apply Corn Gluten Weed Preventer plus Lawn Food
LATE SPRING: Apply Mag-I-Cal Plus
SUMMER: Apply Organic Lawn Food
FALL: Apply Organic Lawn Food

For more information on how to best apply this product visit:
JonathanGreen.com

GUARANTEED ANALYSIS	
Total Nitrogen (N)	10.0%
3.0% Water Insoluble Nitrogen*	
7.0% Water Soluble Nitrogen	
Soluble Potash (K ₂ O)	2.0%
Derived from: Corn Gluten Meal, Urea, Potassium Sulfate	
*3.0% slowly available nitrogen from corn gluten meal.	

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aspflco.com/metals.html>

PRECAUTIONARY STATEMENTS
 Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep any product that lands on the driveway, sidewalk or street back onto your lawn. Also, sweep fertilizer off concrete surfaces to avoid staining. Wear protective gloves and wash hands after use.
FOR CHEMICAL SPILL, LEAK, FIRE OR EXPOSURE CALL: CHEMTREC 1-800-424-9300.

FIFRA 25(b) Exemption
 This product has not been registered by the United States Environmental Protection Agency. Jonathan Green represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act.

FIRST AID	
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin	Rinse skin immediately with plenty of water for 15-20 minutes.
If Inhaled	Move person to fresh air. Call a poison control center or doctor for further treatment advice.
If Ingested	Do not induce vomiting unless told to do so by a poison control center or a doctor.

FEEDING AND WEEDING YOUR LAWN
 Jonathan Green Corn Gluten Weed Preventer plus Lawn Food prevents crabgrass, dandelions and other weeds from growing while feeding your lawn. Apply in early spring, before target weeds germinate. For improved weed control and greening up, apply this product up to 4 times a year, mid-March and late spring, and early fall to early November. See "Black out" date comments below. Weed control provided by this product is directly related to proper application rate, but will vary somewhat depending on weather, weed pressure, turfgrass competitiveness, and the user's location in a region. Based on the nature of this product, it may take a few seasons to control severe weed populations. This product provides "pre-emergence" control in established turfgrasses when applied prior to germination of target weeds. A pre-emergent herbicide is capable of controlling weeds only at the time of germination. Any weeds that have germinated before application will not be controlled.

DIRECTIONS FOR USE
 Apply to a dry, recently mowed lawn using a broadcast-rotary or drop spreader. Apply at 3 lbs. per 1,000 square feet. For best results, water lightly after applying if rain is not forecast within 24 hours. This product works best when applied, watered in, and allowed to dry for 2 to 3 days. Excessive rainfall or irrigation may require re-application for effective weed control. The percentage of control increases as the application rate increases.
 There are no re-entry restrictions for use. People, pets and animals may enter the application area immediately following application.

SPRING APPLICATION

Make the first application at the time forsythia begins to bloom in your area. As an alternate timing guide, apply when crocuses have finished blooming or when the first daffodils or jonquils begin to bloom. (To use bulb blooming times as a guide, bulbs must be located 15 ft. or more away from any foundation.) Crabgrass continues to germinate through July, and other weeds germinate throughout the growing season, so later applications still reduce weeds and at the same time fertilize your lawn.

FALL APPLICATION

Apply this product from late summer through early November. See "Black out" date comments below.

SEEDING

Apply Jonathan Green Corn Gluten Weed Control plus Lawn Food four weeks prior to applying grass seed, or apply four weeks after sowing grass seed and the newly seeded area has been mowed 2 to 3 times.

SPREADER SETTINGS

The following settings are approximate. An accurate calculation can be made by application to 1,000 sq. ft. and adjusting spreader opening to apply 3 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 75 lbs. per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

BROADCAST (ROTARY) SPREADERS

Jonathan Green	
Standard Rotary	6
Deluxe & Pro	17
Hand Held	5
Agri-Fab	8
Cyclone	5
Earthway (Ames)	16
Echo RB60	8
EZ Republic (Ortho)	6
Lesco	16 - G
Precision (Red Devil)	5
Scotts Rotary Spreaders*	8
Spyker	6-1/2
STA-GREEN	5
Vigoro	8

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000

DROP SPREADERS

Central	5
EZ Republic (Ortho)	6
Earthway (Ames)	13
Precision (Red Devil)	4
Scotts Drop**	11

**Includes Accugreen 1000 - 2000 & Classic

For rectangular lawns
 Apply two header strips across each end for a turning area. Then apply back and forth in the longest direction.



For irregular-shaped lawns
 Apply a header strip around the entire lawn for a turning area, then apply back and forth.



Note: For rotary spreaders, each pass should be within ~ 8 feet of each other to ensure an overlap.
 • Do not leave spreader open when making turns.
 • For best results, do not apply on a windy day.
 • Swath will vary due to weather conditions, product used and walking speed.
 • To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.). One bag treats up to 5,000 sq. ft.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Limitation of Liability:

LIMITATION OF LIABILITY
 To the extent consistent with applicable law, Jonathan Green makes no warranties of merchantability or of fitness for a particular purpose, nor any other express or implied warranty except as stated above. Buyer assumes all responsibility for safety and use not in accordance with label directions and precautionary statements.

STORAGE AND DISPOSAL

Store product in a cool, dry place out of the reach of children and pets. Keep bag tightly closed, away from moisture and light. Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling if such use is contrary to label instructions.



BLACK OUT DATES
 Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use. "Black out" dates may limit or prohibit lawn fertilizer applications from late fall to early spring in certain areas.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing .30 pounds of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

My Pledge Of Satisfaction
 We have made every effort in the formulation of this product to assure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success.

Sign up to receive timely lawn tips
www.jonathangreen.com





Jonathan Green
QUALITY LAWN SINCE 1881



ORGANIC LAWN FOOD

10-0-1

Promotes a lush green lawn

Will not burn your grass*

Use for a naturally beautiful lawn

*When used as directed



Not for use in organic crop and organic food production.

FEEDING YOUR LAWN WITH ORGANICS

Jonathan Green Organic Lawn Food promotes a lush green lawn. These homogenous, easy-to-spread granules, can be used on established and newly seeded lawns or when sodding. Use in spring, summer or fall.

The organic approach to lawn care takes time, be patient, since nature needs time to break down nutrients. Children and pets may re-enter the lawn area immediately after application.

CONTROLLING WEEDS NATURALLY:

Weeds will naturally be choked out as the turf thickens. Use Black Beauty grass seed, follow a balanced fertilizing program and raise mowing height to 3" to provide the best defense against weeds.

GRASS CLIPPINGS:

Grass clippings contain nutrients and water that are beneficial to the lawn. Do not remove clippings unless they clump on the lawn, grass clumps can smother desirable grass. To prevent clumping of grass on the lawn, keep mower blades sharp and be sure not to cut off more than 1/3 of the grass leaf at any one time. Use of a mulching mower aids in returning clippings to the soil.

DIRECTIONS FOR USE

Jonathan Green Organic Lawn Food is ideal for use on established lawns, newly seeded lawns and when sodding. This product can be applied to all cool-season or warm-season grasses. Product should be applied to a dry lawn that has been recently mowed. It is best to water product in after application for 15 minutes, however, this is not necessary. About 1 inch of water per week is sufficient between rainfall and irrigation for best lawn growth throughout the growing season.

HOW MUCH TO APPLY

ESTABLISHED LAWN:

Apply bag according to spreader chart. Water in if possible for 15 minutes.

NEWLY SEEDED LAWN - THIN LAWN - SODDING:

Apply bag according to the spreader chart. To improve results, aerate before application or applying grass seed. Water in if possible for 15 minutes.

GUARANTEED ANALYSIS

Total Nitrogen (N)	10.00%
9.0% Water Insoluble Nitrogen*	
1.0% Water Soluble Nitrogen	
Soluble Potash (K ₂ O)	1.00%
Calcium (Ca)	1.00%
Sulfur (S)	1.00%
Iron (Fe)	0.10%

Derived from: Feather Meal, Soybean Meal, Blood Meal, Sulfate of Potash and Calcium Carbonate
*9.0% slowly available nitrogen from feather meal, soybean meal and blood meal

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfc.org/metals.html>



My Pledge Of Satisfaction
We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success.



Be aware of local ordinance requirements concerning lawn fertilizer applications. "Black out" dates may limit or prohibit lawn fertilizer applications from late fall to early spring in certain areas.

In Maryland apply this product at no more than 6 lbs. per 1,000 sq. ft.

Sign up to receive timely lawn tips www.jonathangreen.com



Download our FREE Lawn Care Guide



SPREADER SETTINGS

The following settings are approximate. An accurate calculation can be made by application to 1,000 sq. ft. and adjusting spreader opening to apply 3.10 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .78 lb. per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

ROTARY SPREADERS

	Established Lawns	Newly Seeded Lawns - Thin Lawns - Sodding
Jonathan Green Standard	4	Apply a second time to the same area using the rates listed on left.
Deluxe & Pro Hand Spreader	13	
Chapin	3	
Cyclone	5	
Earthway	4	
ACE - Greenthumb		
Agway - Fertilome	13	
Lesco	11 or D	
Sta-Green - Precision - Red Devil	6	
Scotts Rotary*	5	
Scotts EasyGreen	23	
Scotts Wizz	5	
Spyker	5	

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000

DROP SPREADERS

	Established Lawns	Newly Seeded Lawns - Thin Lawns - Sodding
Central	5	Apply a second time to the same area using the rates listed on left.
EZ Republic	5	
Earthway		
Ames	12	
Precision - Red Devil	2	
Scotts Drop**	8	

**Includes Accugreen 1000 - 2000 & Classic

USAGE TIPS

For rectangular lawns

Apply two header strips across each end for a turning area. Then apply back and forth in the longest direction.



For irregular-shaped lawns

Apply a header strip around the entire lawn for a turning area, then apply back and forth.



- Note:** For rotary spreaders, each pass should be within 10 feet of each other to ensure an overlap.
- Do not leave spreader open when making turns.
 - For best results, do not apply on a windy day.
 - Swath will vary due to weather conditions, product used and walking speed.
 - To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.).

CAUTION

Store product in a cool, dry place out of the reach of children and pets. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn or garden and sweep any product that lands on the driveway, sidewalk or street back onto your lawn or garden. Also, sweep fertilizer off concrete surfaces to avoid staining.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling if such use is contrary to label instructions.




Distributed by: Jonathan Green, Inc., PO Box 326, Farmingdale, NJ 07727

(20250) SF1222

**GREAT
Lawns ONLY
Happen with

PROPER
Soil pH...

and
LOOSE,
Biologically
Active Soil!**



Jonathan Green
QUALITY LAWNS SINCE 1881

MAG-I-CAL PLUS®

**Natural Soil Food
for Lawns in Acidic + Hard Soils**

**HELPS
RAISE
SOIL pH**

**HELPS
LOOSEN
HARD SOILS**

**CONTAINS
BIOCHAR**



**20% TO 70% OF YOUR
LAWN FOOD IS WASTED
WHEN SOIL PH IS TOO LOW!**

**PROMOTES AIR AND
WATER PENETRATION
FOR BETTER ROOTING**



FEEDING YOUR SOIL

If you've struggled to grow a great lawn in the past, poor soil is often the problem. If your soil is too acidic (having a pH under 6.2) or compacted, your lawn may not thrive. MAG-I-CAL PLUS for Acidic Soils contains calcium which raises soil pH and improves cell wall structure. Lawns thrive in soil with pH levels between 6.2 and 7, otherwise light green grass and weeds may persist while fertilizer nutrients are not fully used by the grass. MAG-I-CAL PLUS helps to break up clay and compacted soils, which improves root penetration and promotes growth by increasing biological activity while helping release trapped nutrients in the soil.

WHY USE SOIL FOODS?

SOIL pH*: If you are not sure of your soil pH, our soil test kit, available from your local dealer can be helpful. Your local extension office or state university also can provide soil testing.

If the results of your soil test reveal your pH is below 5.9, supplement our New American Lawn program with MAG-I-CAL for Acidic Soils.

Apply any time of the year with other products on the same day. It can be applied when seeding or not.

HARD SOIL:** For hard, compact soil, supplement our New American Lawn Program with LOVE YOUR SOIL.

Apply any time of the year with other products on the same day. It can be applied when seeding or not.

DIRECTIONS FOR USE

MAG-I-CAL PLUS can be applied anytime of the year. Apply only as directed.

ESTABLISHED LAWNS: Apply MAG-I-CAL PLUS using the "Spreader Settings" chart below. For best results, aerate or rake the lawn vigorously prior to applying MAG-I-CAL PLUS. Watering is not necessary, but if possible, water in after application for 15 minutes.

NEW LAWNS OR OVERSEEDING LAWNS OR SODDING: When seeding or sodding lawns, MAG-I-CAL PLUS should be applied with Jonathan Green Green-Up Lawn Food for Seeding & Sodding. These products can be applied in any order, on the same day.

Apply MAG-I-CAL PLUS using the "Spreader Settings" chart below. For best results, aerate or rake the lawn vigorously prior to applying MAG-I-CAL PLUS, grass seed or any of the Jonathan Green products mentioned above. Watering is not necessary, but if possible, water in after application for 15 minutes.

SPREADER SETTINGS

The following settings are approximate. An accurate calculation can be made by application to 1,000 sq. ft. and adjusting spreader opening to apply 3.6 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .90 pounds per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

BROADCAST (ROTARY) SPREADERS

	Established lawns	New lawns or pH below 5.9
Jonathan Green		
New American Lawn Standard	4-1/2	Apply
New American Lawn Deluxe & Pro	14	twice over
New American Lawn Hand Held	3	the area
Agri-Fab	2-1/2	at the
Cyclone	4	at the
EZ Republic (Ortho)	4	same
Earthway (Ames)	13	setting to
Precision (Red Devil)	5	the left
Scotts Rotary	5	
Scotts EasyGreen	20	

DROP SPREADERS

	Established lawns	New lawns or pH below 5.9
Agri-Fab	2	Apply
Central	4	twice over
EZ Republic (Ortho)	4	the area
Earthway (Ames)	10	at the
Precision (Red Devil)	3-1/2	same
Scotts	1-1/2	setting to
		the left

For more settings visit www.jonathangreen.com

USAGE TIPS

- For rectangular lawns**
Apply two header strips across each end for a turning area. Then apply back and forth in the longest direction.
- For irregular-shaped lawns**
Apply a header strip around the entire lawn for a turning area, then apply back and forth.
- Note:** For Rotary Spreaders, each pass should be within 10 feet of each other to ensure an overlap.
- Do not leave spreader open when making turns.
- For best results, do not apply on a windy day.
- Swath will vary due to weather conditions, product used and walking speed.
- Apply products only to lawn.
- To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.).

GUARANTEED ANALYSIS

Calcium (Ca)	28.0%
Sulfur (S)	1.5%
1.5% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.01% Water Soluble Iron (Fe)	
Derived from: Calcium Sulfate Dihydrate, Calcium Carbonate, Iron Humate, and Soy Protein Hydrolysate.	

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:
1% Humic Acid (derived from humus)
1% Polyhydroxycarboxylic Acids (derived from plant extracts)
2% Wood Biochar

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

CAUTION

Store in a cool dry place out of the reach of children and pets. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn or garden and sweep any product that lands on the driveway, sidewalk or street back onto your lawn or garden. Also, sweep fertilizer off concrete surfaces to avoid staining.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling if such use is contrary to label instructions.

CAS NO.

Calcium Sulfate Dihydrate	10101-41-A
Iron Humate	N/A
Calcium Carbonate	1317-65-3
Humic Acid	1415-93-6
Biochar	N/A

Be aware of local ordinance requirements concerning lawn fertilizer applications. "Black out" dates may limit or prohibit lawn fertilizer applications from late fall to early spring in certain areas.

Iowa Secretary of Agriculture certified 1682 pounds of ECCE per ton.



My Pledge Of Satisfaction
We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success.



Ask for a FREE copy of our New American Lawn Guide or go to www.newamericanlawn.com

Sign up to receive timely lawn tips www.jonathangreen.com



Jonathan Green
QUALITY LAWN SINCE 1881



ORGANIC LAWN FOOD

10-0-1

Promotes a lush green lawn
Will not burn your grass*
Use for a naturally beautiful lawn

*When used as directed



Not for use in organic crop and organic food production.

FEEDING YOUR LAWN WITH ORGANICS

Jonathan Green Organic Lawn Food promotes a lush green lawn. These homogenous, easy-to-spread granules, can be used on established and newly seeded lawns or when sodding. Use in spring, summer or fall.

The organic approach to lawn care takes time, be patient, since nature needs time to break down nutrients. Children and pets may re-enter the lawn area immediately after application.

CONTROLLING WEEDS NATURALLY:

Weeds will naturally be choked out as the turf thickens. Use Black Beauty grass seed, follow a balanced fertilizing program and raise mowing height to 3" to provide the best defense against weeds.

GRASS CLIPPINGS:

Grass clippings contain nutrients and water that are beneficial to the lawn. Do not remove clippings unless they clump on the lawn, grass clumps can smother desirable grass. To prevent clumping of grass on the lawn, keep mower blades sharp and be sure not to cut off more than 1/3 of the grass leaf at any one time. Use of a mulching mower aids in returning clippings to the soil.

DIRECTIONS FOR USE

Jonathan Green Organic Lawn Food is ideal for use on established lawns, newly seeded lawns and when sodding. This product can be applied to all cool-season or warm-season grasses. Product should be applied to a dry lawn that has been recently mowed. It is best to water product in after application for 15 minutes, however, this is not necessary. About 1 inch of water per week is sufficient between rainfall and irrigation for best lawn growth throughout the growing season.

HOW MUCH TO APPLY

ESTABLISHED LAWN:

Apply bag according to spreader chart. Water in if possible for 15 minutes.

NEWLY SEEDED LAWN - THIN LAWN - SODDING:

Apply bag according to the spreader chart. To improve results, aerate before application or applying grass seed. Water in if possible for 15 minutes.

GUARANTEED ANALYSIS

Total Nitrogen (N)	10.00%
9.0% Water Insoluble Nitrogen*	
1.0% Water Soluble Nitrogen	
Soluble Potash (K ₂ O)	1.00%
Calcium (Ca)	1.00%
Sulfur (S)	1.00%
Iron (Fe)	0.10%

Derived from: Feather Meal, Soybean Meal, Blood Meal, Sulfate of Potash and Calcium Carbonate

*9.0% slowly available nitrogen from feather meal, soybean meal and blood meal

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

SPREADER SETTINGS

The following settings are approximate. An accurate calculation can be made by application to 1,000 sq. ft. and adjusting spreader opening to apply 3.10 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .78 lb. per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

ROTARY SPREADERS

	Established Lawns	Newly Seeded Lawns - Thin Lawns - Sodding
Jonathan Green Standard	4	
Deluxe & Pro Hand Spreader	13	Apply a
Chapin	3	second
Cyclone	5	time to the
Earthway	4	same area
ACE - Greenthumb		using the
Agway - Fertilome	13	rates listed
Lesco	11 or D	on left.
Sta-Green - Precision - Red Devil	6	
Scotts Rotary*	5	
Scotts EasyGreen	23	
Scotts Wizz	5	
Spyker	5	

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000

DROP SPREADERS


	Established Lawns	Newly Seeded Lawns - Thin Lawns - Sodding
Central	5	Apply a
EZ Republic	5	second
Earthway		time to the
Ames	12	same area
Precision - Red Devil	2	using the
Scotts Drop**	8	rates listed
		on left.

**Includes Accugreen 1000 - 2000 & Classic

USAGE TIPS

For rectangular lawns

Apply two header strips across each end for a turning area. Then apply back and forth in the longest direction.



For irregular-shaped lawns

Apply a header strip around the entire lawn for a turning area, then apply back and forth.



- Note:** For rotary spreaders, each pass should be within 10 feet of each other to ensure an overlap.
- Do not leave spreader open when making turns.
 - For best results, do not apply on a windy day.
 - Swath will vary due to weather conditions, product used and walking speed.
 - To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.).

CAUTION

Store product in a cool, dry place out of the reach of children and pets. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn or garden and sweep any product that lands on the driveway, sidewalk or street back onto your lawn or garden. Also, sweep fertilizer off concrete surfaces to avoid staining.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling if such use is contrary to label instructions.



My Pledge of Satisfaction

We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success.



Be aware of local ordinance requirements concerning lawn fertilizer applications. "Black out" dates may limit or prohibit lawn fertilizer applications from late fall to early spring in certain areas.

In Maryland apply this product at no more than 6 lbs. per 1,000 sq. ft.

Sign up to receive timely lawn tips www.jonathangreen.com



Download our FREE Lawn Care Guide



Distributed by: Jonathan Green, Inc., PO Box 326, Farmingdale, NJ 07727

(2025) SF1222